FIG. 1


100
SERVER
101
AGGREGATE
CONTEXT
102
COMMUNICATION
NETWORK
103
DEVICE A
DEVICE A
SPECIFICATION
104A
CONTEXT
MAP
104B
DEVICE A
RELATIONAL
CONTEXT
104C
DEVICE B
DEVICE B
SPECIFICATION
105A
CONTEXT
MAP
105B
DEVICE B
RELATIONAL
CONTEXT
105C
DEVICE C
DEVICE C
SPECIFICATION
106A
CONTEXT
MAP
106B
DEVICE C
RELATIONAL
CONTEXT
106C


AGGREGATE CONTEXT
PRINTER RESOLUTION = 75-600 dpi
COLOR PRINTER SPEED = 3-12 PPM
MONOCHROME PRINTER SPEED = 8-64 PPM
102
SERVER
101
COMMUNICATION
NETWORK
103
DEVICE A
DEVICE A SPECIFICATION
RESOLUTION = 600 dpi
TYPE = MONOCHROME
SPEED = 64 PPM
104A
CONTEXT
MAP
104B
DEVICE A RELATIONAL CONTEXT
104C
TYPE = MONOCHROME
RESOLUTION =
75
LOW
MEDIUM
HIGH
600
SPEED =
8
LOW
MEDIUM
HIGH
64

FIG. 2A

FIG. 2B




09/23/2004, EAST Version: 2.0.1.4

*FIG. 3*




09/893,850